<	ìn
D)	]/

	Application No.	Applicant(s)	
	10/624,686	FUJIKADO ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Mark W. Bockelman	3762	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>response of 6-16-05 and interview summary 6-24-05</u> .			
2. The allowed claim(s) is/are <u>9-11</u> .			
3. The drawings filed on 13 July 2003 are accepted by the Examiner.			
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority una)  All b)  Some* c)  None of the: <ol> <li>Certified copies of the priority documents have</li> <li>Certified copies of the priority documents have</li> <li>Copies of the certified copies of the priority documents have</li> </ol> </li> <li>Copies of the certified copies of the priority documents have linternational Bureau (PCT Rule 17.2(a)). </li> <li>* Certified copies not received:</li> </ul>	been received. been received in Application No cuments have been received in this	national stage application from the	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1)  hereto or 2)  to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5.	Patent Application (PTO-152) (PTO-413).	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	<ul><li>Paper No./Mail Da</li><li>7.</li></ul>	te ment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme 9. ☐ Other M 	ARK BOCKELMAN  1 1984 EXAMINER	

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Steven Allis on 6-24-2005.

In claim 9;

at line 6, after "patient's head",

-- positioned away from the patient's eye -- has been inserted at line 14, before "the outside of the sclera",

"at least one of" has been deleted

at line 14, after "the outside of the sclera",

"and between the choroid and the sclera" has been deleted

The following is an examiner's statement of reasons for allowance: The prior art of record does not teach the particular positioning of the converter and the electrode array. Such a positioning allows simpler implantation in avoiding implantation of the converter in or on the eye of the patient.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark W. Bockelman whose telephone number is (571) 272-4941. The examiner can normally be reached on Monday - Friday 8:00 to 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (571) 272 -4955. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Nal Ball

**MWB** 

June 24, 2005